



TECHNICAL DATA

GB INTERCOOLER 400 15W-40

APPLICATIONS

GB INTERCOOLER 400 15W-40 is a heavy-duty diesel engine oil formulated using the highest quality virgin mineral base oils and enhanced additive systems for use in both on- and off-highway applications and operating environments such as haulage, plant contracting, mining, agriculture etc.

PERFORMANCE FEATURES

GB INTERCOOLER 400 15W-40 has been developed for use in heavy-duty diesel engines operating both on- and off-highway and offers the following features:

- Excellent anti-wear protection
- Rust and corrosion protection
- Effective control of soot, sludge and piston deposits
- Excellent oxidation and thermal stability
- Extended drain capability

PERFORMANCE DETAILS

GB INTERCOOLER 400 15W-40 may be used where the following specifications are required:

ACEA A3/B3/E3 API CG-4/CF-4/CF/SJ MACK EO-L MAN M3275	MERCEDES BENZ p228.1/228.3 MTU Type-2 VOLVO VDS-2
--	---

Cont'd .../...

GB LUBRICANTS

Albany Road Gateshead NE8 3BP

Tel: 0191 490 4312
Fax: 0191 477 9544
e-mail: gblsales@gb-lubricants-fuels.co.uk
www.gb-lubricants-fuels.co.uk

A division of Goodall Bates & Todd Ltd



Q 06093
ISO 9001



EMS 72776
ISO 14001



OHS 88475
OHSAS 18001

GB LUBRICANTS

CHARACTERISTICS

TEST	UNIT	METHOD	TYPICAL PHYSICAL CHARACTERISTICS
SAE			15W-40
Appearance	-	-	Clear amber liquid
Density @ 15°C	kg/m ³	IP 160	884
Kinematic Viscosity @ 40°C	cSt	IP 71	101.6
Kinematic Viscosity @ 100°C	cSt	IP 71	13.8
Viscosity Index	-	IP 226	137
Flash Point	°C	IP 34	212

STORAGE AND HANDLING

GB INTERCOOLER 400 15W-40 should be stored under cover to avoid water collecting in the rim of upturned barrels.

HEALTH, SAFETY AND THE ENVIRONMENT

Further information on GB INTERCOOLER 400 15W-40 can be obtained by referring to the corresponding Material Safety Data Sheet.

For guidance on storage and handling of all lubricants and related products, GB Lubricants recommend the Environment Agency, www.environment-agency.gov.uk, as an excellent source of advice.

If you have any queries, please do not hesitate to contact either your local Technical Sales Representative or our Technical Department.

The Company policy is to ensure that a range of products is supplied which complies with the latest specifications and codes within the relevant industry. As part of this development process, we therefore reserve the right to amend formulations and specifications, without prior notice.